

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/578102	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/28 20:06
S2	5	((JINTAE) near2 (CHOI)). INV.	US-PGPUB; USPAT	ADJ	ON	2008/04/28 20:07
S3	15	((JAEMOON) near2 (LEE)). INV.	US-PGPUB; USPAT	ADJ	ON	2008/04/28 20:07
S4	4	((NAMGYU) near2 (KIM)). INV.	US-PGPUB; USPAT	ADJ	ON	2008/04/28 20:07
S5	3	((BEYONGSU) near2 (KIM)). INV.	US-PGPUB; USPAT	ADJ	ON	2008/04/28 20:08
S6	1	((SANGCHOON) near2 (JEON)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/04/28 20:08
S7	15	S2 S3 S4 S5 S6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 20:08
S8	1	S7 and bmcns with fa with 1xev	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 20:09
S9	8	("20010030956"   "20020037726"   "20020085523"   "20030227897").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/28 20:37
S10	1045	((370/341) or (370/437)). CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/29 13:14
S13	17	bmcns same 1xev	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 13:15
S14	47	(bmcns or mbs) same (frequency or channel) near3 assignment	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 14:13

S15	6	(bcmcs or mbs) same (frequency or channel) near3 assignment and 1xEV	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 14:15
S16	15	gan same pdsn same dlr	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 15:40
S19	6	(bcmcs or mbs or (multicas near2 broadcast)) same (frequency or channel) near3 assignment and 1xEV	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 16:33
S23	2	(bcmcs or mbs or (multicas near2 broadcast)) and 1xev same temp\$6 with stor\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 17:44
S26	11	(gan or atm) and pdsn and aaa same cod\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 08:58
S27	9	(bcmcs or mbs or (multicast \$3 near2 broadcast\$3)) with error with message with time	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 14:17
S28	1	11/379,569	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 17:11
S29	3434	(1xev\$do or evolution data)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 17:51
S30	34	(1xev\$do or evolution data) same BCMCS	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 17:52
S31	74	(1xev\$do or evolution data) and BCMCS	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 17:52

S32	112	(1xev\$do or evolution data) and (BOMCS or (broadcast near2 multicast near2 service))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 17:54
S33	11	(1xev\$do or evolution data) and (BOMCS or (broadcast near2 multicast near2 service)) and (frequency assignment or FA)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 17:54
S35	11	(1xev\$do or (evolution data) or onex\$ev\$do) and (BOMCS or (broadcast near2 multicast near2 service)) and (frequency assignment or FA)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 17:56
S39	3932	evolution near2 data	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 17:57
S40	87	(evolution near2 data) and (BOMCS or (broadcast near2 multicast near2 serv\$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 17:58
S42	3932	evolution near2 data	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 19:04
S43	104	S42 and ((FA or frequency assignment))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 19:04
S44	31	S42 and ((FA or frequency assignment) and broadcast)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 19:05
S46	122	(1xev\$do or ((evolution near2 data)) or onex\$ev \$do) and (BOMCS or (broadcast near2 multicast near2 service))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 19:20
S54	1260	(1xev\$do or ((evolution near2 data)) or onex\$ev \$do) and (BOMCS or broadcast or multicast)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 09:37

S55	339	S54 and (@rlad<"20031105" or @ad<"20031105")	US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 09:37
S56	448	(1xev\$do or ((evolution near2 data)) or onex\$ev \$do) and (BCMCS or broadcast or multicast) and ((frequency or resource or channel) near2 (assignment or designation or shar\$3 or prosion\$3 or provid\$3))	US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 09:40
S57	469	(1xev\$do or ((evolution near2 data)) or onex\$ev \$do) and (BCMCS or broadcast or multicast) and ((frequency or resource or channel) near2 (assignment or designation\$4 or shar\$3 or prosion\$3 or provid\$3))	US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 09:40
S58	134	S57 and (@rlad<"20031105" or @ad<"20031105")	US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 09:40
S59	2407	(1xev\$do or ((evolution near2 data)) or onex\$ev\$do or rev\$?) same (BCMCS or broadcast or multicast) same (assign\$5 or appoint \$3 or provid\$3)	US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 14:53
S60	1750	S59 and (@rlad<"20031105" or @ad<"20031105")	US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 14:53
S61	38	(1xev\$do or ((evolution near2 data)) or onex\$ev\$do or rev\$b) same (BCMCS or broadcast or multicast) same (assign\$5 or appoint \$3 or provid\$3)	US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 14:54
S62	4	S61 and (@rlad<"20031105" or @ad<"20031105")	US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 14:54
S63	231	(1xev\$do or ((evolution near2 data)) or onex\$ev\$do or evdo) same (BCMCS or broadcast or multicast)	US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 14:57

S64	13	(1xev\$do or ((evolution near2 data)) or onex\$ev\$do or evdo) same (BCMCS or broadcast or multicast) same (assign\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 15:00
S65	13	(1xev\$do or ((evolution near2 data)) or onex\$ev\$do or evdo) same (BCMCS or broadcast or multicast) same (assign\$4 or appoint \$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 15:00
S66	24	\$63 and (@rlad<"20031105" or @ad<"20031105")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 15:01
S67	3	\$65 and (@rlad<"20031105" or @ad<"20031105")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 15:02
S68	2660	((FA or frequency assignment) and broadcast)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/14 16:14
S69	233	((FA or frequency assignment) with broadcast)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/14 16:15
S70	7	((FA or frequency assignment) with broadcast) with (ratio or shar\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/14 16:16
S71	4	S70 and (@rlad<"20031105" or @ad<"20031105")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/14 16:17
S72	42	((FA or frequency assignment) same broadcast) same (fraction or portion or ratio or shar \$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/14 16:21
S73	4	S71 and (@rlad<"20031105" or @ad<"20031105")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/14 16:21

S74	441	((FA or frequency assignment) same broadcast)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/14 16:22
S75	444	((FA or frequency assignment) same (bcmcs or broadcast))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/14 16:22
S76	18	((FA or frequency assignment) same (bcmcs or broadcast)) and (1xev \$do or (evolution data) or onex\$ev\$do)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/14 16:23
S77	5	S76 and (@rlad<"20031105" or @ad<"20031105")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/14 16:23
S78	43	((FA or (frequency or channel or resource) near2 assignment)) same (bcmcs or broadcast) and (1xev\$do or (evolution data) or onex\$ev\$do)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/14 16:31
S79	43	(((FA or (frequency or channel or resource) near2 assignment)) same (bcmcs or broadcast)) and (1xev \$do or (evolution data) or onex\$ev\$do)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/14 16:32
S80	14	S79 and (@rlad<"20031105" or @ad<"20031105")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/14 16:32
S82	3	bcmcs near2 assignment near2 (ratio or fraction)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/18 19:35
S83	511	(1xev\$do or ((evolution near2 data)) or onex\$ev\$do or rev\$b) and (ev\$dv or (evolution near3 voice))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/18 19:45
S84	173	S83 and (@rlad<"20031105" or @ad<"20031105")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/18 19:46

S85	33	S84 and (bcmcs or broadcast)	US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/18 19:46
-----	----	------------------------------	---	-----	----	---------------------

11/19/2008 2:42:37 PM

C:\ Documents and Settings\ mbatista\ My Documents\ EAST\ Workspaces\ 10578102 METHOD AND TELECOMMUNICATION SYSTEM FOR APPOINTING FREQUENCY ASSIGNMENT MODE AND OR BROADCAST MULTI CAST SERVICE ASSIGNMENT RATION FOR PROVIDING BROADCAST MULTI CAST SERVICE.wsp